






## Industrie-PC SIMATIC IPC547G Produktinformation

### Zubehör

Für Ihr Gerät ist Zubehör erhältlich, das nicht im Lieferumfang enthalten ist. Informationen zum bestellbaren Zubehör finden Sie in der folgenden Tabelle und im Internet unter folgenden Adressen:

- Industry Mall (<https://mall.industry.siemens.com>)
- IPC-Erweiterungskomponenten (<http://www.automation.siemens.com/mcms/pc-based-automation/de/industrie-pc/erweiterungskomponenten>)

Bezeichnung	Beschreibung	Gerät mit Standard-Gehäuse	Gerät mit kurzem Gehäuse	Artikelnummer/MLFB
Niederhalter zur Verriegelung der internen USB-Schnittstelle	Der Niederhalter dient der mechanischen Sicherung der internen USB-Schnittstelle. Dies optimiert den Schutz eines internen USB-Speichersticks gegen Belastungen durch Vibration und Schock beim Transport und im laufenden Betrieb. Dadurch werden Zuverlässigkeit und Betriebssicherheit des Geräts erhöht.	X	X	6ES7648-1AA00-0XK0 
Tower-Kit	Das Tower-Kit ermöglicht den Umbau zu einem Industrie-Tower PC. Dadurch wird der Einsatzbereich über den Schaltschrank einbau hinaus erweitert. Bestandteile des Tower-Kit: <ul style="list-style-type: none"> <li>• Abdeckung</li> <li>• Fuß</li> <li>• Zubehör: Schrauben und GummifüÙe</li> </ul>	X	X	6ES7648-1AA01-0XC0 (Standard-Gehäuse) 6ES7648-1AA01-0XE0 (kurzes Gehäuse) 

Bezeichnung	Beschreibung	Gerät mit Standard-Gehäuse	Gerät mit kurzem Gehäuse	Artikelnummer/MLFB
Low-Profile Wechseleinschub	<p>Der Wechseleinschub ermöglicht das einfache und schnelle Wechseln eines 2,5"- oder 3,5"- Laufwerks, ohne das Gerät öffnen oder aus dem Schaltschrank entfernen zu müssen. Damit ergeben sich folgende Vorteile bei Service und Instandhaltung, Datensicherung und Datentransport:</p> <ul style="list-style-type: none"> <li>• Tausch einer ausgefallenen Festplatte im laufenden Betrieb ("hot-swap")</li> <li>• Laden unterschiedlicher Anlagenstände oder Betriebssysteme von verschiedenen Festplatten innerhalb kürzester Zeit</li> <li>• Vereinfachte Datensicherung durch Duplizieren, z. B. auf eine Back-up-Festplatte</li> <li>• Einfacher Transport gesicherter Daten</li> <li>• Getrennte Datenlagerung und Archivierung möglich</li> </ul>	X	-	6ES7648-0EH00-1BA0  Abbildung ähnlich
DP-/DVI-Adapter	Grafik-Adapterkabel, DisplayPort nach DVI	X	X	6ES7648-3AF00-0XA0 
DP-/VGA-Adapter	Grafik-Adapterkabel, DisplayPort nach VGA	X	X	6ES7648-3AG00-0XA0 

Siemens AG  
 Division Digital Factory  
 Postfach 48 48  
 90026 NÜRNBERG  
 DEUTSCHLAND

SIMATIC IPC547G  
 A5E37964953-AB, 06/2017

# SIEMENS



## Industrial PC SIMATIC IPC547G




### Product Information

### Accessories

Accessories are available for your device. These are not included in the scope of delivery. Information on available accessories is listed in the table below and on the Internet at the following addresses:

- Industry Mall (<https://mall.industry.siemens.com>)
- IPC expansion components ([http://www.automation.siemens.com/mcms/pc-based-automation/en/industrial-pc/expansion\\_components\\_accessories](http://www.automation.siemens.com/mcms/pc-based-automation/en/industrial-pc/expansion_components_accessories))

Name	Description	Device with standard enclosure	Device with short enclosure	Article number / MLFB
Retainer for locking the internal USB interface	The retainer is a mechanical safety device for the internal USB interface. It optimizes the protection of an internal USB memory stick against loads caused by vibration and shock during transportation or operation.  This increases the reliability and operational safety of the device.	X	X	6ES7648-1AA00-0XK0 
Tower Kit	You can use the Tower Kit to convert the device into an industrial Tower PC. This step expands the operating range beyond the control cabinet.  Components of the Tower Kit: <ul style="list-style-type: none"> <li>• Cover</li> <li>• Feet</li> <li>• Accessories: Screws and rubber feet</li> </ul>	X	X	6ES7648-1AA01-0XC0 (standard enclosure) 6ES7648-1AA01-0XE0 (short enclosure) 

Name	Description	Device with standard enclosure	Device with short enclosure	Article number / MLFB
Low profile removable rack unit	<p>The removable tray makes for quick and simple replacement of a 2.5" or 3.5" drive without having to open the device or remove it from the control cabinet. The result is the following advantages for service and maintenance, data backup and data transfer:</p> <ul style="list-style-type: none"> <li>• Replacement of a failed hard disk in operation ("hot-swap")</li> <li>• Downloading different system states or operating systems from different hard drives during a short period of time.</li> <li>• Simplified data backup by copying, e.g. to a backup hard drive.</li> <li>• Simple transportation of backup data</li> <li>• Separate data storage and archiving possible</li> </ul>	X	-	<p>6ES7648-0EH00-1BA0</p>  <p>Similar to figure</p>
DP/DVI adapter	Graphics adapter cable, DisplayPort to DVI	X	X	<p>6ES7648-3AF00-0XA0</p> 
DP/VGA adapter	Graphics adapter cable, DisplayPort to VGA	X	X	<p>6ES7648-3AG00-0XA0</p> 

Siemens AG  
Division Digital Factory  
Postfach 48 48  
90026 NÜRNBERG  
GERMANY

SIMATIC IPC547G  
A5E37964953-AB, 06/2017